INDEX

Vol. 216—Pages 1–770

[New names in ***bold italics***. Systematic references in *italics*]

Acanthephyra, 96
Accipiter gentilis, 305
Achatina fulica, 495
Acrobates pygmaeus, 225–251
Acteonemertes, 1, 4, 6–17
Actinobalanus, 286
Agapetus, 625
Alca torda, 73–81
Amathina, 477
—*tricarinata*, 476
Ambystoma tigrinum, 437–454
——*mavortium*, 439
Amphinemura chui, 625
—*wui*, 616
Anas erythrorhyncha, 305
—*platyrhynchos*, 577
Anisocentropus maculatus, 626
Anomalocera opalus, 94
Anopheles maculipennis, 736
Antarctomysis, 86
—*maxima*, 96
Antennarius, 382
—*marmarotus*, 382
Antiponemertes, 1–17
Antocha bifida, 627
Antrozous pallidus, 337
Aphelocheirus, 625
Apodemus sylvaticus, 587–593
Aporrhais pes-pelecani, 687, 689, 690, 694, 697, 699, 712
Aquila chrysaetos, 569
Arca barbata, 687, 689, 695, 697, 699, 703, 705, 712
—*noae*, 697
Archachatina marginata, 496
Archaeobalanus, 286
Arctictis binturong, 134
Arctocephalus gazella 529
Argonemertes, 1–17
Argyropelacus aculeatus, 94
Arianta arbustorum, 495–502
Arvicola terrestris, 591
Ascaris suum, 668
Asellus, 177, 178, 184
—*aquaticus*, 178
Atelecyclus undecimdendatus, 713
Atilax paludinosus, 134
Atrichopogon, 616, 617, 619, 627
Atrina pectinata, 469–477

Baetiella, 613, 615, 617, 624
Baetis, 613, 615, 617, 618–620, 624
Balaenoptera, 384
—*acutorostrata*, 384
—*musculus*, 384
Balanus, 265–294
—*abeli*, 289
—*albicostatus*, 268, 273–277, 283, 289
—*amphitrite*, 267, 268, 274, 277, 279, 283, 285, 289
——*amphitrite*, 268
——*communis*, 267
—*aquila*, 268, 276, 277, 279, 290
—*balanoides*, 713
—*balanus*, 268, 269, 290
—*calidus*, 268, 273, 290
—*cantelli*, 289
—*citerosum*, 289
—*crenatus*, 265, 283, 290
—*dentivarians*, 268, 273, 276, 283, 285, 289
—*eburneus*, 266, 268, 273, 275, 280, 283, 289
—*glandula*, 268, 273, 283, 285, 290
—*henryae*, 290
—*hystrix*, 290
—*improvisus*, 265, 289
—*inexpectatus*, 269, 289
—*kondakovi*, 289
—*laevis*, 290
—*littoralis*, 289
—*mexicanus*, 289
—*nubilus*, 268, 272–277, 280, 283, 290
—*pacificus*, 283, 289
—*pallidus*, 289
—*panamensis*, 290
—*parkeri*, 290
—*patelliformis*, 289
—*perforatus*, 268, 272–277, 279–285, 290
—*peruvianus*, 268, 276, 280, 283, 289
—*poecilotheca*, 269, 289
—*poecilus*, 290
—*regalis*, 290
—*reticulatus*, 267, 289
—*rostratus*, 290
—*salaami*, 290
—*spongicola*, 283, 290
—*subalbidus*, 268, 273, 276, 278, 283, 289
—*suturaltus*, 289
—*trigonus*, 268, 277, 281, 283, 290
—*variegatus*, 268, 273–276, 280, 289
—*venustus*, 283, 289
Bathyergus, 391
—*janetta*, 414
—*suillus*, 404

Bdeogale nigripes, 134
Berosus, 626
Bezzia, 627
Bison bonasus, 503
Bittium reticulatum, 687, 689, 690, 693, 694, 699, 712
Blarina, 661, 662
—*brevicauda*, 655, 658, 661
Bolinus brandaris, 687, 691, 694, 699, 701, 711, 712
—(*Murex*) *brandaris*, 689
Bos taurus, 312, 479–493
Brachyurophis, 520
Bradybaena fruticum, 498
Branta canadensis, 211, 213, 297
Brotia hainanensis, 624
Bufo bufo, 674
Burramys parvus, 225, 226, 237

Caenis, 613, 615, 624
Caenodes, 613, 615, 617, 624
Caenolestes obscurus, 247
Caenorhabditis elegans, 663–671
Calanoides acutus, 96
Calamus, 94
—*propinquus*, 86, 87
—*simillimus*, 86, 87
—*tonsus*, 94
Callista chione, 713
Campbellonemertes, 1–17
Canis familiaris, 312, 582, 583
—*lupus*, 575, 581
Capra hircus, 503–505
—*ibex nubiana*, 576
Capreolus capreolus, 236
Carcinus maenus, 713
Cataclysta, 625
Cavia, 160
—*porcellus*, 156, 158
Cemophora, 520
Centroptilum, 624
Cepaea hortensis, 498
—*nemoralis*, 497, 500, 501
Cephalodiscus, 465–467
—*gracilis*, 465–468
Ceratoscopelus, 94
Cercartetus, 225, 236
—*caudatus*, 242
—*concinnus*, 226, 236, 237, 247
—*lepidus*, 237, 241
—*nanus*, 237, 242, 250
Cercopithecus aethiops, 312
?*Cervocerus novorossiae*, 602
Cervus elaphus, 565–573, 577
Cheumatopsyche, 613, 615, 617, 626
Chimarra, 613, 615, 619, 625
Chirona, 286
Choroterpes, 613, 615, 617, 618, 624
Ciliata, 339–366
—*mustela*, 340
Circus approximans, 540
Columba livia, 212
Compsoneuriella, 613, 615, 616, 624
Concavus henryae, 290
Conopea, 286
Conus, 697
—*mediterraneus*, 687, 689, 693, 711, 712
—*textile*, 697, 711
Corvus corax, 569
—*corone cornix*, 569
Coryphaena, 388
Crassostrea virginica, 711
Cratenemertes, 1, 2, 4
—*variabilis*, 4
Crocuta, 47, 51, 52
—*crocuta*, 45–53, 604
Crossarchus alexandri, 134
—*obscurus*, 134
Cryptomys, 391, 404
—*damarensis*, 391–416
—*hottentotus*, 404, 413
Cryptoprocta ferox, 132, 134
Cyanophthalma, 13, 14
Cygnus cygnus 211
——*bewickii*, 212
——*cygnus*, 212
—*olor*, 211, 212, 295–308
Cyllopus, 94
—*lucasii*, 96
—*macropis*, 94
—*magellanicus*, 94
Cynictis penicillata, 134
Cynogale, 138
—*bennettii*, 134
Cyphocarus, 86
Cypraea vitellus, 713
Cypsilurus, 385
—*bahiensis*, 387
—*spiropterus*, 388

Dama dama, 577, 597–603
Dasyprocta punctata, 151
Delia, 735–741
—*antiqua*, 735–738, 740
—*coarctata*, 735–738, 740
—*floralis*, 735–738, 740
—*platura*, 735–738, 740
—*radicum*, 735–738, 740
Deroceras reticulatum, 501
Dibamus, 765
Didelphis virginiana, 312
Diodon, 379, 382, 384
—*maculatus*, 382, 385
—*sexmaculatus*, 382, 385
Diomedea melanophrys, 99
Diplectrona, 626
Distoechurus pennatus, 226, 237
Divanella, 7
Dosinia exoleta, 713
Drosophila, 736
—*melanogaster*, 182

Echeneis remora, 388
Ecnomus, 626

Ectopria, 626
Electrona, 94
Eledone cirrhosa, 705, 713
Elminius modestus, 265
Emberiza bruniceps, 260
—*melanocephala*, 253–263
Enochrus, 613, 615–617, 626
Epeorus, 624
Ephemera (Aethephemera) pictipennis, 624
—*(Ephemera)*, 624
—*spilosa*, 624
Ephemerella, 624
Ephemerellina, 624
Eptesicus serotinus, 512
Equus caballus, 312
Erignathus barbatus, 593
Eubrianax, 613, 615, 617, 619, 626
Euchaeta norvegica, 94
Eudyptes chrysolophus, 80
Eulaelaps stabularis, 556
Eulichas, 613, 615, 626
Euphausia, 94
—*crystallorophias*, 92
—*frigida*, 86, 94
—*krohnii*, 94
—*lucens*, 94
—*similis*, 94
—*superba*, 86, 91, 92, 94, 95
—*triacantha*, 86, 94
Euphaea decorata, 616, 617, 624
Eupleres goudotii, 132, 134
Eurythenes gryllus, 96
Euthria, 705
—*cornea*, 687, 689, 693, 695, 699, 703, 712
Exocoetus, 385, 387

Falco peregrinus, 170
—*sparverius*, 170
Fasciolaria, 712
Felis caracal, 575
—*domesticus*, 582, 583
—*lynx*, 577
—*pardina*, 577–582
—*rufus*, 577
—*silvestris*, 577
Fistulobalanus, 290
Fossa fossa, 134, 137
Fratercula arctica, 73–81
Fregetta tropica, 95
Furina, 520–522, 525
—*barnardi*, 520, 521
—*diadema*, 520, 521

Gadus morhua, 94
Gaidropsarus, 339–366
—*mediterraneus*, 340
Galea musteloides, 151
Galeomma takii, 475
Galidia elegans, 134
Galidictis fasciata, 134
Gallotia galloti, 39
Garrodia, 83, 95
—*nereis*, 93, 95
Gazella dorcas, 576
Genetta genetta, 134
—*servalina*, 134
—*tigrina*, 134
—*victoriae*, 134
Geonemertes, 2, 10, 11, 13, 15
Gerychus, 391
—*capensis*, 404, 413
Gibbula magus, 687, 689, 690, 694, 699, 705, 712
Glyphodon, 520–522
Goerodes, 626
Gorilla gorilla gorilla, 629–654
Grus canadensis, 169
Gymnobelideus leadbeateri, 236
Gyps ruppellii, 604
Gyrodactylus, 341, 346

Habrophlebioides, 613
—*gilliesi*, 615, 624
Halichoerus grypus, 417, 418, 529–537
Haliotis fulgens, 713
—*kamchatkana*, 713
—*tuberculata*, 712
Halobaena caerulea, 95
Heliogomphus scorpio, 625
Heliophobius, 391, 404
—*argenteocinereus*, 392, 414
Helix aspera, 496
—*pomatia*, 495–497
Helodes, 613, 615, 617, 626
Helogale parvula, 134
Hemifusus ternatanus, 476
Hemigalus derbyanus, 132, 134
Herpestes auropunctatus, 134, 456
—*brachyurus*, 134
—*edwardsi*, 134
—*ichneumon*, 134
—*sanguineus*, 134
Hesperibalanus, 286
Heterocephalus glaber, 391, 392, 398, 403, 404, 413, 414
Heterodera glycines, 663–671
Heterosquilla spinosa, 94
Heterotrephes, 613, 615, 625
Hinnites giganteus, 713
Histiophorus herschelli, 387
Histrio, 382
—*histrio*, 379–390
Homo sapiens, 312
Humilaria kennerleyi, 713
Hyaena hyaena, 575–577
Hydrobates pelagicus, 97
Hydropotes inermis, 103–117
Hydropsyche, 613, 617, 626
Hydropsychodes, 613, 615, 617, 619, 620, 626
Hydroptila, 625
Hydrovatus, 626
Hydrurga leptonyx, 91
Hyperia, 83, 94, 96
—*galba*, 94

—macrocephala, 96
—spinigera, 94
Hyperiella, 95, 96
—antarctica, 96
Hyperoche, 96
—medusarum, 96
Hystrix, 151

Ichneumia albicauda, 133, 134
Ictalurus, 364
—melas, 362, 364
—punctatus, 362
Iguana, 763
Imperata cylindrica, 116
Iron, 616, 624
Isca purpurea, 613, 615, 624
Isonychia kiangsinensis. 624
Isoodon macrourus, 235
Istiophorous brevirostris, 384

Katechonemertes, 1, 2, 4, 6–17
Kathpalmeria, 286
Korotkevitschia, 1–4

Lagopus lagopus, 305
Lagostomus maximus, 151
Lampichthys procerus, 92
Larus dominicanus, 541
Latimeria, 61
Lemmus lemmus, 591
Lepas australis, 94
Leptonemertes, 1, 2, 4–17
Leptonychotes weddelli, 418, 430
Leptopsylla segnis, 555
Lepus americanus, 125
Lernaeopenna brachiata, 380
—sagitta, 380
Leuctra, 625
Liasis fuscus, 377
Lima hians, 475, 687, 689, 697, 705, 711, 712
Limicolaria martensiana, 495
Limnophila, 616, 619, 627
Limosa lapponica, 307
Livona pica, 712
Lophius, 379
Lumbricillus rivalis, 183
Lumbricus, 439, 442
Lutra lutra, 566

Macaca nemestrina, 312
Macromia, 625
Macronectes, 91
Macropus eugenii, 247
Macrostemum brisi, 626
—fastosum, 626
—floridum, 626
Makaira nigricans, 387
Mallotus villosus, 92
Martes, 606
Mataeopsephus, 626
Maurolicus muelleri, 92
Megabalanus, 283
Meganyctiphanes norvegica, 94
Melanotrichia serica, 625
Meles meles, 187–194, 236, 312, 455–463, 606
Melogale, 608
Melopsittacus undulatus, 169–176
Microtus agrestis, 591
—californicus, 21–36, 41–43
—ochrogaster, 41–43
—oeconomus, 591
Miniopterus, 119, 120, 126, 127, 128, 584
—australis, 125, 127, 128, 584
—fraterculus, 125, 127
—inflatus, 126, 127
—minor, 119–129
—schreibersii, 125–128, 584
Mirounga angustirostris, 418, 427, 535
Mnias mneme, 625
Mola mola, 385, 387
Morelia amethystinus, 377
—spilota spilota, 367, 368, 375–377
— —variegata, 375, 377
Motella, 349
Mungos mungo, 134
Muntiacus reevesi, 602
Murex, 712
—brevifrons, 691
—trunculus, 689
Mus, 557
—domesticus, 204, 542, 543
—musculus, 195, 197, 539–563
— —domesticus, 542
Mustela erminea, 582, 583
—nivalis, 582, 583
—vison, 566
Myctophum, 94
Myonyssus decannani, 556
Myoprocta pratti, 151
Myotis adversus, 507
—californicus, 507
—dasycneme, 507
—daubentoni, 507, 515
—lucifugus, 507–517
—velifer, 336
—yumanensis, 507
Mytilus, 690, 705
—edulis, 689, 699
—galloprovinciallis, 687–689, 695, 699, 707, 711–713
—viridis, 701

Nandinia binotata, 132–134
Natrix, 744, 747, 759, 761, 762, 765
—maura, 762
—natrix, 743–770
— —helvetica, 747, 758, 759
Nautilus pompilius, 713
Neelaps, 520–522
—bimaculatus, 521, 522, 526
—calonotus, 521, 522
Nematoscelis megalops, 94
Neochauloides, 625

—*boweringi*, 619
Neoperla, 616, 617, 625
Neophron percnopterus, 603
Nerita, 712
Nerodia, 761, 764
Nipponnemertes, 1, 2, 4
—*africanus*, 4
—*madagascarensis*, 4
—*pulcher*, 4
—*punctatulus*, 4
Nosopsyllus fasciatus, 555
Nyctalus noctula, 187
Nycticeius, 586
—*humeralis*, 584
Nyctiphanes australis, 94

Oceanites, 83, 99
—*oceanicus*, 83–102
Oceanodroma, 83, 92
—*castro*, 93, 97
—*furcata*, 92, 93, 97, 99
—*leucorhoa*, 89, 93–95, 97, 99
—*monorhis*, 93
—*tethys*, 93, 97
—*tristrami*, 92, 93
Octopus, 690
—*bimaculatus*, 713
—*bimaculoides*, 713
—*dofleini*, 709, 713
—*vulgaris*, 687–716
Odobenus rosmarus, 593–596
Oerstedia, 12, 15
Ogmodon, 526
Oligodon, 520
Oliva reticularis, 711, 712
Olor colombianus, 212
Onus tricirratus, 340
Onychogomphus sinicus, 625
Orechtochilus, 626
Oryctolagus cuniculus, 577
Ostrea edulis, 687, 689, 695, 699, 701, 707, 711, 712
Ovis, 565–573
—*aries*, 576

Pachyptila desolata, 95
Paegniodes cupulatus, 616, 617, 619, 624
Paguma larvata, 134
Palaeodipteron, 627
Paleosuchus trigonatus, 376
Panagrellus redivivus, 663–671
Panthera leo, 51, 604, 717–733
—*pardus*, 604
Pantinonemertes, 2, 7, 10, 13, 15
Paradoxurus hermaphroditus, 134
Paraexocoetus brachypterus, 388
Parapasiphaea sulcatifrons, 94
Passer domesticus, 255, 260, 261, 297
Pecten irradians, 703
—*jacobeus*, 687, 689, 695, 699, 703, 709, 712
Pedetes capensis, 187
Pelagodroma, 83, 92
—*marina*, 93, 97
Pennella, 379–390
—*antarctica*, 384
—*anthonyi*, 384
—*balaenoptera*, 379, 384, 389
—*biloba*, 384, 389
—*blainvilli*, 384
—*cervicornis*, 384
—*cetti*, 384
—*charcoti*, 384
—*costai*, 384
—*crassicornis*, 385
—*diodontis*, 379, 382, 384, 385, 389
—*elegans*, 385, 389
—*exocoeti*, 384, 385, 387–389
—*exocoetus*, 379
—*filosa*, 379, 385, 387–389
—*germonia*, 387
—*—fagei*, 387
—*hawaiiensis*, 387
—*histiophori*, 387
—*incerta*, 387, 389
—*instructa*, 379, 387–389
—*liouvillei*, 387
—*longicauda*, 387, 389
—*makaira*, 379, 387, 389
—*orthagorisci*, 387
—*platycephalus*, 388, 389
—*pustulosa*, 388
—*remorae*, 388
—*robusta*, 388, 389
—*sagitta*, 379, 389, 390
—*tridentata*, 388, 389
—*varians*, 388, 389
—*zeylandica*, 388
Perameles nasuta, 235
Pericoma, 627
Peromyscus, 592
—*maniculatus*, 592
—*truei*, 187
Petauroides volans, 236, 250
Petaurus breviceps, 236
Phascolarctos cinereus, 247
Philine aperta, 470
Phyllonotus (Murex) trunculus, 689
—*trunculus*, 687, 691, 695, 699, 701, 712
Phoca groenlandica, 417, 418
—*vitulina*, 531
Pinna bicolor, 476
—*carnea*, 471, 473, 476
Pipistrellus kuhli, 515
—*mimus*, 336
—*nanus*, 126
—*pipistrellus*, 187, 327, 336, 515, 584–587
Pitaria chione, 713
Plecotus auritus, 510, 514
Plectonemertes, 1–17
Pleuragramma antarcticum, 92
Podocarus auberti, 86
Podarcis, 744–747, 758–762, 764, 766
—*muralis*, 762

—sicula, 743
Poiana richardsoni, 134, 135
Polinices lewisii, 713
Polycelis, 178
—nigra, 177–185
—tenuis, 177–185
Potamonemertes, 1, 2, 4–17
Prionocera, 616, 617, 627
Prionodon, 134, 135
Prosadenoporus, 2, 10, 15
Prosopistoma, 624
Prosorhochmus, 2, 10, 15
Prostoma, 12, 17
Prosymna, 520
Protomyctophum bolini, 83, 87
—normani, 83, 87
Protopterus, 69
—annectens, 55–71
Protosticta taipokauensis, 624
Protothaca staminea, 713
Psephenoides, 626
Pseudacris triseriata, 681
Pseudocheirus peregrinus, 236, 250
Pseudocloeon, 613, 615, 617, 618, 624
Pseudoneureclipsis, 616, 619, 625
Psila rosae, 738
Psilotreta kwantungensis, 626
Psychomyia, 625
Psychroteuthis glacialis, 92
Puffinus puffinus, 566
Pygoscelis adeliae, 78
—antarctica, 74
—papua, 74
Pyrrhula pyrrhula, 307
Python molurus, 375–377
—regius, 376, 377
—sebae, 377

Rana sylvatica, 681
—temporaria, 673–685
Rattus norvegicus, 540, 582–583
Rhantus, 616, 617, 626
Rhincalanus gigas, 86, 87, 96
Rhinocypha perforata, 625
Rhinolophus ferrumequinum, 325, 512
—hipposideros, 325–338
Rhyacophila, 625
Rhyncops nigra, 507, 514

Salanoia unicolor, 134
Saxidomus giganteus, 713
Semibalanus balanoides, 265, 267, 280, 281
Sergestes arcticus, 94
Serratella, 613, 615, 617, 624
Simoselaps, 519–527
—anomalus, 521
—approximans, 521, 522, 525
—australis, 520–522, 525, 526
—bertholdi, 520–522
—campbelli, 522
—fasciolatus, 520–522, 525, 527
—incinctus, 521, 522
—littoralis, 521
—roperi, 519–522, 525
—semifasciatus, 519–522, 525, 526
—warro, 520–522, 525
—woodjonesi, 521, 522
Simulium, 613, 615, 617, 619, 627
Solidobalanus, 286
Sorex, 662
—araneus, 655–662
—cinereus, 655
—palustris, 655, 661
—vagrans, 655, 661, 662
Spheniscus demersus, 430
Sphincterochila boissieri, 495
Spisula solida, 713
Squilla armata, 94
Stegonotus, 520, 525
Stenopsyche angustata, 625
Sterzorarius parasiticus, 566
Sterna paradisea, 566
Strombus costatus, 712
—gigas, 712
—raninus, 688, 712
Sturnus vulgaris vulgaris, 297
Suricata suricatta, 132, 134
Sus scrofa, 577
Symphimus, 761
Syncerus caffer, 491

Tadarida, 586
—braziliensis, 586
Tapes decussatus, 687, 689, 699, 712
Tarsipes rostratus, 225, 226, 236, 237, 241, 247, 250
Taxidea, 606
Tegula funebralis, 713
Tellina nitida, 687, 689, 699, 712
Teloganodes, 624
Tenebrio molitor, 508
Tesseropora rosea, 265
Tetrabalanus, 283
Themisto, 83, 86, 87, 91, 94, 95, 96
—compressa, 94
—(Euthemisto) gaudichaudii, 92
—gaudichaudii, 83, 86, 92, 94, 96
Theragra chalcogramma, 94
Thryonomys swinderianus, 141–167
Thunnus alalonga, 387
—thynnus, 385, 387
Thysanoessa, 86, 94
—gregaria, 94
—inermis, 94
—longicaudata, 94
—macrura, 96
—raschii, 94
Toxicocalamus, 526
Trichia hispida, 498
Trichosurus vulpecula, 247, 250, 312
Triodopsis albolabris, 495
Triturus alpestris, 674

Uria aalge, 73–81
Urosalpinx cinerea, 711

Velella, 93
Venerupis decussata, 689
Venus gallina, 713
—*verrucosa*, 713
Vermetus gigas, 687, 689, 691, 712
Vermicella, 520, 521, 522, 526
—*annulata*, 520–522
Vibilia, 86, 94, 96
—*antarctica*, 96
—*armata*, 94
Vipera, 761, 766
—*palaestinae*, 744
Viverra megaspila, 134
—*tangalunga*, 134
—*zibetha*, 134
Viverricula indica, 134
Vulpes vulpes, 575, 582, 583
Xiphias gladius, 385, 387

Zalophus californianus, 430
Zygonyx iris, 613, 615
——*insignis*, 625

JOURNAL OF ZOOLOGY

VOLUME 216

Published by
THE ZOOLOGICAL SOCIETY
OF LONDON
at
OXFORD UNIVERSITY PRESS
1988

Dates of publication of Volume 216

Part 1, pp. 1–194, 19 September 1988
Part 2, pp. 195–390, 6 October 1988
Part 3, pp. 391–573, 11 November 1988
Part 4, pp. 575–770, 19 December 1988

© 1988 Zoological Society of London

Printed in Great Britain
at the Alden Press, Oxford

LIST OF CONTENTS

VOLUME 216

Page

AIROLDI, J.-P. and FLURY, B. K., An application of common principal component analysis to cranial morphometry of *Microtus californicus* and *M. ochrogaster* (Mammalia, Rodentia) 21

AIROLDI, J.-P. and FLURY, B. K., An application of common principal component analysis to cranial morphometry of *Microtus californicus* and *M. ochrogaster* (Mammalia, Rodentia): further remarks 41

ALDRIDGE, H. D. J. N., Flight kinematics and energetics in the little brown bat. *Myotis lucifugus* (Chiroptera: Vespertilionidae), with reference to the influence of ground effect 507

ATKINSON, H. J., ISAAC, R. E., HARRIS, P. D. and SHARPE, C. M., FMRFamide-like immunoreactivity within the nervous system of the nematodes *Panagrellus redivius, Caenorhabditis elegans* and *Heterodera glycines* 663

BAKER, J. R. and BAKER, R., Effects of environment on grey seal (*Halichoerus grypus*) pup mortality. Studies on the Isle of May 529

BAUR, B., Do the risks of egg cannibalism and desiccation influence the choice of oviposition sites in the land snail *Arianta arbustorum*? 495

COX, J. M., MARINIER, S. L. and ALEXANDER, A. J., Auditory communication in the cane rat (*Thryonomys swinderianus*) 141

CRESSWELL, W. J. and HARRIS, S., The effects of weather conditions on the movements and activity of badgers (*Meles meles*) in a suburban environment 187

CROXALL, J. P., HILL, H. J., LIDSTONE-SCOTT, R., O'CONNELL, M. J. and PRINCE, P. A., Food and feeding ecology of Wilson's storm petrel *Oceanites oceanicus* at South Georgia 83

DAVIES, J. M., LACHNO, D. R. and ROPER, T. J., The anal gland secretion of the European badger (*Meles meles*) and its role in social communication 455

DILLY, P. N., Tube building by *Cephalodiscus gracilis* 465

DUDGEON, D., The influence of riparian vegetation on macroinvertebrate community structure in four Hong Kong streams 609

EFFORD, M. G., KARL, B. J. and MOLLER, H., Population ecology of *Mus musculus* on Mana Island, New Zealand 539

FOLKOW, L. P., BLIX, A. S. and EIDE, T. J., Anatomical and functional aspects of the nasal mucosal and ophthalmic retia of phocid seals 417

FORSMAN, K. A. and MALMQUIST, M. G., Evidence for echolocation in the common shrew, *Sorex araneus* 655

FURNESS, R. W., Predation on ground-nesting seabirds by island populations of red deer *Cervus elaphus* and sheep *Ovis* 565

HALL, S. J. G. and HALL, J. G., Inbreeding and population dynamics of the Chillingham cattle (*Bos taurus*) 479

HARTMAN, T. P. V. and SOUTHERN, D. I., An investigation into the variations in the fine surface details of the eggs of five species of *Delia* (Diptera: Anthomyiidae) 735

HOFMANN, R. R., KOCK, R. A., LUDWIG, J. and AXMACHER, H., Seasonal changes in rumen papillary development and body condition in free ranging Chinese water deer (*Hydropotes inermis*) 103

HOGANS, W. E., Redescription of *Pennella sagitta* (Copepoda: Pennellidae) from *Histrio histrio* (Pisces) in the North-west Atlantic Ocean with a provisional review of the genus *Pennella* 379

KER, R. F., ALEXANDER, R. MCN., and BENNETT, M. B., Why are mammalian tendons so thick? 309

KÖNIG, B., RIESTER, J. and MARKL, H., Maternal care in house mice (*Mus musculus*): II. The energy cost of lactation as a function of litter size 195

KUMAR, V., Investigations of photoperiodically induced fattening in migratory blackheaded bunting (*Emberiza melanocephala*) (Aves) 253

LIANG, X. Y. and MORTON, B., The pallial organ of *Atrina pectinata* (Bivalvia: Pinnidae): its structure and function 469

LOVEGROVE, B. G., Colony size and structure, activity patterns and foraging behaviour of a colony of the social mole-rat *Cryptomys damarensis* (Bathyergidae) 391

LOVEGROVE, B. G. and KNIGHT-ELOFF, A., Soil and burrow temperatures, and the resource characteristics of the social mole-rat *Cryptomys damarensis* (Bathyergidae) in the Kalahari Desert 403

MACE, G. M., The genetic and demographic status of the Western lowland gorilla (*Gorilla g. gorilla*) in captivity 629

MCANEY, C. M. and FAIRLEY, J. S., Activity patterns of the lesser horseshoe bat *Rhinolophus hipposideros* at summer roosts 325

MCWILLIAM, A. N., The reproductive cycle of male long-fingered bats, *Miniopterus minor* (Chiroptera: Vespertilionidae), in a seasonal environment of the African Tropics 119

MOORE, J. and GIBSON, R., Further studies on the evolution of land and freshwater nemerteans: generic relationships among the paramonostiliferous taxa 1

NIXON, M. and MACONNACHIE, E., Drilling by *Octopus vulgaris* (Mollusca: Cephalopoda) in the Mediterranean 687

O'HALLORAN, J., MYERS, A. A. and DUGGAN, P. F., Lead poisoning in swans and sources of contamination in Ireland 211

ORFORD, H. J. L. and PERRIN, M. R., Contraception, reproduction and demography of free-ranging Etosha lions (*Panthera leo*) 717

RACEY, P. A., Communications from the Mammal Society—No. 57 575

Range use by a striped hyaena (*Hyaena hyaena*) in the Negev desert, by R. J. VAN AARDE, J. D. SKINNER, M. H. KNIGHT and D. C. SKINNER, p. 575; The distribution of faeces by the Spanish lynx (*Felis pardina*), by I. H. ROBINSON, p. 577; Mammalian predation on Norway rats (*Rattus norvegicus*) living in a rural environment, by J. BRODIE, p. 582; Shared nursing in captive pipistrelles (*Pipistrellus pipistrellus*)?, by L. A. EALES, D. J. BULLOCK and P. J. B. SLATER, p. 584; Social relations in *Apodemus sylvaticus* as revealed by video-observation in the wild, by X. LAMBIN, p. 587; The occurrence of walrus (*Odobenus rosmarus*) in southern Europe, by C. NORES and C. PÉREZ, p. 593; Variation in lateral metacarpals of fallow deer, *Dama dama* (Mammalia, Cervidae), by A. M. LISTER and N. G. CHAPMAN, p. 597; Digestive efficiency and hunting behaviour in cats, dogs and vultures, by D. C. HOUSTON, p. 603; Dental anomalies in the Eurasian badger, by M. HANCOX, p. 606

RIEPPEL, O., The development of the trigeminal jaw adductor musculature in the grass snake *Natrix natrix* 743

RYSER, J., Determination of growth and maturation in the common frog, *Rana temporaria*, by skeletochronology 673
SAMOUR, J. H., MARKHAM, J. A., MOORE, H. D. M. and WATSON, P. F., Semen cryopreservation and artificial insemination in budgerigars (*Melopsittacus undulatus*) 169
SCANLON, J. D. and SHINE, R., Dentition and diet in snakes: adaptions to oophagy in the Australian elapid genus *Simoselaps* 519
SEARS, J., Assessment of body condition in live birds: measurements of protein and fat reserves in the mute swan, *Cygnus olor* 295
SHAFFER, H. B. and LAUDER, G. V., The ontogeny of functional design: metamorphosis of feeding behaviour in the tiger salamander (*Ambystoma tigrinum*) 437
SLIP, D. J. and SHINE, R., Reptilian endothermy: a field study of thermoregulation by brooding diamond pythons 367
SPIVEY, H. R., Shell morphometry in barnacles: quantification of shape and shape change in *Balanus* 265
TAYLOR, M. E., Foot structure and phylogeny in the Viverridae (Carnivora) 131
THORPE, R. S., Multiple group principal component analysis and population differentiation 37
VAN JAARSVELD, A. S., SKINNER, J. D. and LINDEQUE, M., Growth, development and parental investment in the spotted hyaena, *Crocuta crocuta* 45
VAN VUREN, D. and COBLENTZ, B. E., Dental anomalies of feral goats (*Capra hircus*) on Aldabra Atoll 503
WANLESS, S., MORRIS, J. A. and HARRIS, M. P., Diving behaviour of guillemot *Uria aalge*, puffin *Fratercula arctica* and razorbill *Alca torda* as shown by radio-telemetry .. 73
WARD, S. J. and RENFREE, M. B., Reproduction in females of the feathertail glider *Acrobates pygmaeus* (Marsupialia) 225
WARD, S. J. and RENFREE, M. B., Reproduction in males of the feathertail glider *Acrobates pygmaeus* (Marsupialia) 241
WHITEAR, M. and KOTRSCHAL, K., The chemosensory anterior dorsal fin in rocklings (*Gaidropsarus* and *Ciliata*, Teleostei, Gadidae): activity, fine structure and innervation 339
YOUNG, J. O. and REYNOLDSON, T. B., Allopatric and sympatric populations of *Polycelis nigra* in competition with *P. tenuis* (Turbellaria; Tricladida) 177
ZYLBERBERG, L., Ultrastructural data on the scales of the dipnoan *Protopterus annectens* (Sarcopterygii, Osteichthyes) 55